




IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re application of:	: Examiner:
LOUIS M. ILLUZZI ET AL	: JOSEPH A. KAUFMAN
Serial No.: 10/783,483	: Group Art Unit No. 3754
Filing Date: October 30, 2002	: Attorney Docket No.
For: CONTAINER DISPENSER DEVICE FOR	: LJI-101A
SEPARATED FLOWABLE CONTNENTS :	

Honorable Commissioner of Patents and Trademarks
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATION OF MAILING BY EXPRESS MAIL

The undersigned hereby certifies that this document was delivered to the United States Post Office in Flemington, New Jersey 08822 between 7:30 a.m. and 4:30 p.m. Wednesday, June 29, 2005 as EXPRESS MAIL, RETURN RECEIPT REQUESTED. The undersigned further declares that this Certification is made with the knowledge that willful false statements are punishable by fine or imprisonment, or both, under applicable sections of United States Patent and Trademark Office and may jeopardize the validity of the application or issuing patent related thereto.


Kenneth P. Glynn

EM RRR No. ER 416520282 US
(Docket No. LJI-101A)



06-30-05

IPW

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re application of:	: Examiner:
	:
LOUIS M. ILLUZZI ET AL	: JOSEPH A. KAUFMAN
	:
Serial No.: 10/783,483	: Group Art Unit No. 3754
	:
Filing Date: October 30, 2002	: Attorney Docket No.
	: LJI-101A
For: CONTAINER DISPENSER DEVICE FOR :	
SEPARATED FLOWABLE CONTNENTS :	

Honorable Commissioner of Patents and Trademarks
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE

This is filed in response to the Office Action dated March 29, 2005 in the above case.

The undersigned apologizes to the Examiner in this matter as an earlier mailed Office Action Response was inadvertently sent to the Patent Office with the incorrect serial number, namely, the serial number of this present application. Although that document set forth a different title, etc, it nevertheless was forwarded to Examiner Kaufman for handling in this application. As a result, the Examiner issued an Office Action dated May 3, 2005 that indicated the erroneous Amendment was, among other things, directed to subject matter not supported by the specification herein. The serial number error caused by the office of the undersigned was explained to the Examiner in a